

Material Safety Data Sheet SoyClean® Graffiti Remover (Paint Stripper)

Product Hazard: Health: 1 Fire: 1 Toxicity: 0 Reactivity: 0 Special: 0
Hazard Rating: 4 = Deadly 3 = Extreme 2 = Hazardous 1 = Slight Hazard 0 = Normal

Section I - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING 12/01/10

Trade Name of Product: SoyClean® Graffiti Remover (Paint Stripper)
Manufacturer's Name: West Central® Soy
Supplier's Name: Orison Marketing, L.L.C.
Address: 4801 South Danville Drive
Abilene, TX 79602
Emergency Phone #: 913-599-0800 or 800-424-9300

Section II - INGREDIENTS

Chemical Name	CAS#	OSHA PEL	TLV	WT%
---------------	------	----------	-----	-----

None as defined under the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Hazardous Products Act S.C. 1987, C.30 (part I).

SARA Hazard: None noted (section 311/312) Title III Section 313 – Not Listed

Section III – PHYSICAL DATA

%VOC: <5% (Method 24)
Boiling Point: >345° F at 760 MM HG Pressure
Freezing point: Approximately 11° to 30° F
Reid Vapor Pressure: .5 PSIG at 100° C
Specific Gravity: Approximately .87 to 1.03 at 77° F
Solubility in Water: Negligible at room temperature
Appearance and Color: Pale yellow to light brown viscous liquid
Odor: slight amine-like odor

Section IV – FIRE AND EXPLOSION HAZARD DATA

Flash Point: 205 ° F (COC)
Flammable Limits in air, % by Vol. Lower: Approximately 1.3
Flammable Limits in air, % by Vol. Upper: Approximately 9 (based on NMP)
NFPA Rating: No NFPA Rating
Extinguishing Media: dry chemical, CO2, foam, water spray

Special Fire Fighting Procedures: Do not enter fire area without proper protection. Heat may build enough pressure to rupture closed containers/spreading fire/increasing risk of burns/injuries. Use water spray for cooling. Avoid frothing/steam explosion. Burning liquid may float on water. Although water soluble, it may not be practical to extinguish fire by water dilution.

Unusual Fire and Explosion Hazards: When heated above the flash point, releases flammable vapors. When mixed with air and exposed to ignition source, vapors can burn in open or explode if confined. Vapors may be heavier than air. May travel long distances along the ground before igniting and flashing back to vapor source. Rags or clothing soaked with the formulation may undergo spontaneous combustion if not handled properly.

Section V – HEALTH HAZARD DATA

Primary Routes of Entry:
Inhalation: Yes, slight inhalation hazard
Skin: Yes, slight skin absorption hazard
Eye: Yes, severe eye irritant
Ingestion: Yes, slight ingestion hazard

Chronic Health Effects: NMP has been shown to cause reproductive and fetotoxic effects in laboratory animals at high doses. No adverse health effects are expected from normal use of this product when used with the appropriate personal protective equipment. Prolonged or repeated contact may produce skin irritation.

Effects of Overexposure:
Eye—If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

Ingestion—Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Section VI - ACCIDENTAL RELEASE MEASURES

Absorb spill with non-flammable absorbent and dispose according to local, state, and federal regulations.
Personal Precautions: None needed. Caution floor may be slippery.
Environmental Precautions: None needed; non-toxic, non-hazardous in neat form.
Methods for Cleaning Up: Filter and reuse or dispose directly by flushing area with water into sewer.

Section VII - HANDLING AND STORAGE

Technical Measures/Precautions: Normal ventilation is adequate.
Safe Handling Advice: Avoid contact with eyes.
Technical Measures/Storage Conditions: Store in cool, dry area.
Incompatible Products: Store away from incompatible materials.
Packaging Material: No restrictions.

Section VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures: General room ventilation is satisfactory.
Control Parameters: None needed.
Personal Protection Equipment
Respiratory: None needed.
Eye: Safety glasses or face shield are recommended.
Hand: Chemical resistant gloves are recommended.
Hygiene Measures: Avoid contact with eyes.

Section IX - STABILITY AND REACTIVITY

Stability: Normally Stable
Conditions to Avoid: High temperatures
Materials to Avoid: Avoid contact with strong oxidizing agents or other reactive materials.
Hazardous Decomposition Products: None known
Hazardous Polymerization: Will not occur

Section X - DISPOSAL CONSIDERATIONS

Waste from Residues/Unused Products: Product container is recyclable.
Contaminated Packaging: If recycling is not practicable, dispose of in compliance with the Environmental Protection (Duty of Care) Regulations 1991 if contaminated with hazardous materials. May be disposed of in neat form.

Section XI - TRANSPORTATION INFORMATION

Not classified as dangerous in the meaning of transport regulations.

Section XII - REGULATORY INFORMATION

Product complies with all known regulatory considerations and is unregulated and not listed as a Hazmat by any agency.

Section XIII - OTHER INFORMATION

For further information, contact the Headquarters of Orison Marketing, L.L.C.
Recommended Use: Paint/Varnish Remover

DISCLAIMER: TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE. NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION. SELLER ASSUMES NO RESPONSIBILITY FOR INJURY TO BUYER OR THIRD PERSONS CAUSED BY THE MATERIAL IF PROPER SAFETY PROCEDURES ARE NOT ADHERED TO OR IF ABNORMAL USE IS MADE OF THE MATERIAL. IN NO EVENT WILL SELLER BE LIABLE TO BUYER FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS MATERIAL.