

**1. Identification****1.1. Product identifier****Product Identity** Aluminox™ Concentrate (and RTU)**Alternate Names** Aluminox™ Concentrate (and RTU)**1.2. Relevant identified uses of the substance or mixture and uses advised against****Intended use** Aluminum Brightener/Cleaner**1.3. Details of the supplier of the safety data sheet****Company Name** Orison Marketing, LLC  
4801 South Danville Drive  
Abilene, TX 79602**Emergency****24 hour Emergency Telephone No.** (325) 692-1135 or US: 800-460-2403**Customer Service: Orison Marketing, LLC** US: 800-460-2403**2. Hazard(s) identification****2.1. Classification of the substance or mixture**

Skin Corr. 1A;H314 Causes severe skin burns and eye damage.

Eye Dam. 1;H318 Causes serious eye damage.

**2.2. Label elements****Danger**

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

**[Prevention]:**

P260 Do not breathe dust, fume, mist, vapors or spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves, eye protection, face protection.

**[Response]:**

P301+310 IF SWALLOWED: Immediately call a POISON CENTER, doctor or physician.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.



# Safety Data Sheet Aluminox™ Concentrate (and RTU)

SDS Revision  
Date: 02/26/2020

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER, doctor or physician.

P363 Wash contaminated clothing before reuse.

#### [Storage]:

P405 Store locked up.

#### [Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Phosphoric acid CAS Number: 0007664-38-2	10 - 25	Skin Corr. 1B;H314	[1][2]
Sulfuric acid CAS Number: 0007664-93-9	10 - 25	Skin Corr. 1A;H314	[1][2]
Aluminum Borate Silicate Complex CAS Number: Proprietary	1 - 5	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

### 4.1. Description of first aid measures

#### General

In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.

#### Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

#### Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

#### Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

#### Ingestion

Do NOT induce vomiting. Rinse mouth and slowly drink several glasses of water. Call a physician. Do NOT give anything by mouth to an unconscious or convulsing person.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Overview

EFFECTS OF OVEREXPOSURE:

**Skin:** Direct contact may result in irritation, reddening, swelling, and, if untreated, severe skin damage.

**Eyes:** Contact may cause severe irritation and corneal damage, if untreated.

	<b>INGESTION:</b> May cause burns to the mouth, esophagus, and stomach. <b>INHALATION:</b> Aerosols and mists may severely damage contacted tissue and produce scarring. Exposure to high concentrations may cause pulmonary edema and chemical pneumonia. Treat symptomatically. Check section 2.2 (GHS Label Elements) for further details.
<b>Eyes</b>	Causes serious eye damage.
<b>Skin</b>	Causes severe skin burns and eye damage.

## Section 5. Fire-fighting measures

### 5.1. Extinguishing media

Dry chemical, foam, carbon dioxide, water fog

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: In case of fire, oxides of carbon, hydrocarbons, fumes or vapors, soot, and smoke may be produced.

Do not breathe dust, fume, mist, vapors or spray.

### 5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

Avoid breathing decomposition products. Fire fighters wear protective clothing and NIOSH approved respirator.

**ERG Guide No.** 154

## Section 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove sources of ignition, do not turn lights or unprotected electrical equipment on or off. In case of a major spill or spillage in a confined space evacuate the area and check that solvent vapor levels are below the Lower Explosive Limit before re-entering.

### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### 6.3. Methods and material for containment and cleaning up

Methods for Containment: Stop the flow of material, if this is without risk. Dike the spilled materials, where this is possible.

Methods for Cleaning Up

Non-Emergency Personnel: For non-emergency personnel, ventilate area of leak or spill and remove all ignition sources. Wear appropriate personal protective equipment as required to prevent any contamination of skin, eyes, and personal clothing. Isolate release area. Do not touch or walk through spilled material unless wearing the appropriate protective equipment. Keep unnecessary and unprotected personnel from entering.

Emergency Personnel: For emergency responders, as an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Eliminate all ignition sources (no smoking, flares, sparks or flames in

immediate area). Keep out of low areas. Keep unauthorized personnel away. Stay upwind. Ventilate closed spaces before entering.

Neutralize residual product in the spill area using sodium carbonate or sodium bicarbonate.

**Section 7. Handling and storage**

**7.1. Precautions for safe handling**

Do not store near chlorine-containing compounds.

Do not modify the storage container as to make it unsafe. Use caution when opening container as unit may be under mild pressure due to weather or temperature changes. Do not mix with any other chemical unless specifically recommended by manufacturer. Avoid spills into the work or outside environment. Do not eat, drink, or smoke in work areas. Wash hands after use. Remove any contaminated clothing and protective equipment before entering eating areas.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

**7.2. Conditions for safe storage, including any incompatibilities**

Protect against physical damage. Store in a cool, dry, well-ventilated location. Avoid storing in direct sunlight when possible. Separate from incompatible materials such as strong bases, oxidizers such as bleaches, and reducing agents such as nitrites which are used as a rust inhibitor. Store mixture in polypropylene or polyethylene containers only. Do not store in metal containers, including stainless steel.

Incompatible materials: Avoid contact with chlorinated products, reducing agents, alkalis, reactive metals, and metal oxides.

Store away from oxidizers and alkalines.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

**7.3. Specific end use(s)**

No data available.

**Section 8. Exposure controls / personal protection**

**8.1. Control parameters**

**Exposure**

CAS No.	Ingredient	Source	Value
0007664-38-2	Phosphoric acid	OSHA	TWA 1 mg/m3
		ACGIH	TWA: 1 mg/m3 STEL: 3 mg/m3
		NIOSH	TWA 1 mg/m3 ST 3 mg/m3
0007664-93-9	Sulfuric acid	OSHA	TWA 1 mg/m3
		ACGIH	TWA: 0.2 mg/m3
		NIOSH	TWA 1 mg/m3
Proprietary	Aluminum Borate Silicate Complex	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

**8.2. Exposure controls**

<b>Respiratory</b>	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
<b>Eyes</b>	Wear a full face shield if mixing or pouring this material.
<b>Skin</b>	Overalls which cover the body, arms and legs should be worn. Skin should not be exposed. All parts of the body should be washed after contact. Use neoprene or rubber gloves or PVC.
<b>Engineering Controls</b>	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
<b>Other Work Practices</b>	An eyewash fountain should be located in areas where the product is used. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

**Section 9. Physical and chemical properties**

<b>Appearance</b>	Yellow Liquid
<b>Odor</b>	Strong / Sharp
<b>Odor threshold</b>	Not determined
<b>pH</b>	1.5 – 2.5
<b>Melting point / freezing point</b>	Not Available
<b>Initial boiling point and boiling range</b>	Not Available
<b>Flash Point</b>	Not Available
<b>Evaporation rate (Ether = 1)</b>	Not Available
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> Not Measured <b>Upper Explosive Limit:</b> Not Measured
<b>Vapor pressure (Pa)</b>	Not Measured
<b>Vapor Density</b>	Not Measured
<b>Relative Density</b>	1.04 – 1.06 @ 70°F (1.00 – 1.04 RTU)
<b>Solubility in Water</b>	100%
<b>Partition coefficient n-octanol/water (Log Kow)</b>	Not Measured
<b>Auto-ignition temperature</b>	Not Measured
<b>Decomposition temperature</b>	Not Measured
<b>Viscosity (cSt)</b>	Not Available
<b>VOC Content</b>	10 g/L (3g/L RTU)

**9.2. Other information**

No other relevant information.



# Safety Data Sheet Aluminox™ Concentrate (and RTU)

SDS Revision  
Date: 02/26/2020

## Section 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Material is stable under normal conditions. Conditions to Avoid: None under normal conditions. Incompatible Materials: Avoid contact with strong bases such as sodium or potassium hydroxide as they may cause rapid heat evolution. Contact with strong oxidizers such as chlorine or oxygen bleach may rapidly evolve toxic or flammable gases such as chlorine gas or oxygen. Contact with soft metals such as aluminum, zinc, magnesium, or galvanized metal may evolve hydrogen gas. Contact with reducing agents such as sodium nitrite may evolve toxic nitrous gas. Do not mix with any other chemical unless instructed to do so by manufacturer.

### 10.3. Possibility of hazardous reactions

Reacts with some bases.

### 10.4. Conditions to avoid

Soft metals such as aluminum or zinc. Strong acids.

Do not store near chlorine-containing compounds.

### 10.5. Incompatible materials

Avoid contact with chlorinated products, reducing agents, alkalis, reactive metals, and metal oxides.

### 10.6. Hazardous decomposition products

In case of fire, oxides of carbon, hydrocarbons, fumes or vapors, soot, and smoke may be produced.

## Section 11. Toxicological information

### Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Phosphoric acid - (7664-38-2)	1,700.00, Rat - Category: 4	>2,000.00, Rabbit - Category: 5	No data available	No data available	No data available
Sulfuric acid - (7664-93-9)	No data available	No data available	No data available	No data available	No data available
Aluminum Borate Silicate Complex - (Proprietary)	No data available	No data available	No data available	No data available	No data available



# Safety Data Sheet

## Aluminox™ Concentrate (and RTU)

SDS Revision  
Date: 02/26/2020

### Carcinogen Data

CAS No.	Ingredient	Source	Value
0007664-38-2	Phosphoric acid	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
0007664-93-9	Sulfuric acid	OSHA	Regulated Carcinogen: No
		NTP	Known: Yes; Suspected: No
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	A2 (in strong inorganic acid mists)
Proprietary	Aluminum Borate Silicate Complex	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	1A	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

## Section 12. Ecological information

### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Phosphoric acid - (7664-38-2)	75.10, Oryzias latipes	101.00, Daphnia magna	101.00 (72 hr), Desmodesmus subspicatus
Sulfuric acid - (7664-93-9)	27.00, Lepomis macrochirus	101.00, Daphnia magna	101.00 (72 hr), Desmodesmus subspicatus
Aluminum Borate Silicate Complex - (Proprietary)	Not Available	Not Available	Not Available



# Safety Data Sheet Aluminox™ Concentrate (and RTU)

SDS Revision  
Date: 02/26/2020

## 12.2. Persistence and degradability

There is no data available on the preparation itself.

## 12.3. Bioaccumulative potential

Not Measured

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

## 12.6. Other adverse effects

No data available.

## Section 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN1760	UN1760	UN1760
14.2. UN proper shipping name	UN1760, Corrosive liquids, n.o.s., (Sulfuric Acid, Phosphoric Acid), 8, III	Corrosive liquids, n.o.s., (Sulfuric Acid, Phosphoric Acid)	Corrosive liquids, n.o.s., (Sulfuric Acid, Phosphoric Acid)
14.3. Transport hazard class(es)	DOT Hazard Class: 8	IMDG: 8 Sub Class: Not Applicable	Air Class: 8
14.4. Packing group	III	III	III
14.5. Environmental hazards			
IMDG	Marine Pollutant: No;		
14.6. Special precautions for user	Not Applicable		

## Section 15. Regulatory information

<b>Regulatory Overview</b>	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
<b>Toxic Substance Control Act ( TSCA)</b>	All components of this material are either listed or exempt from listing on the TSCA Inventory.





# Safety Data Sheet Aluminox™ Concentrate (and RTU)

SDS Revision  
Date: 02/26/2020

**Note:** Strong inorganic acid mists containing sulfuric acid are listed on the California Proposition 65 Carcinogen List. [Sulfuric acid, in and of itself, is not listed under Proposition 65. However, if one has sulfuric acid, which through its intended use generates an acid mist that in turn contains sulfuric acid that would meet the listing. The term "strong" does not refer to the concentration of the acid, but rather the strength of the acid. The basis for the listing of strong inorganic acid mists containing sulfuric acid was the formal identification by the National Toxicology Program (NTP), in its Ninth Report on Carcinogens, that this chemical mixture is "known to be a human carcinogen." (Public notice available at [http://www.oehha.ca.gov/prop65/CRNR\\_notices/admin\\_listing/intent\\_to\\_list/noil19b4.html](http://www.oehha.ca.gov/prop65/CRNR_notices/admin_listing/intent_to_list/noil19b4.html).) ]

#### **EPCRA 302 Extremely Hazardous:**

Sulfuric acid

#### **EPCRA 313 Toxic Chemicals:**

Sulfuric acid

#### **Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

## Section 16. Other information

**SDS Revision Date** 02/26/2020

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H314 Causes severe skin burns and eye damage.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and is not valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Document